

# ENSTO

AVN07GH

Pihapiirivalaisin

Koodi	AVN07GH
GTIN	6410041031521
Sähkönumero	4103152
Nimi	Pihapiirivalaisin Ensto AVN07GH IP44 35W GU10 G C GH
Kuvaus	Tyylikäs, grafiitinharmaa väri ja moderni muotoilu tekevät Lumia-sarjan valaisimista oivan valinnan moderniin pihapiiriin. Sarjasta löytyy mallit yleis- ja korostusvalaistukseen. Lumia-sarjan valaisimet ovat yhdisteltävissä Averia-sarjan grafiitinharmaiden pylväs- ja pollarimallien kanssa.
Toimittaja	Ensto Lighting Oy Ⓢ Ⓢ CE



## Tekniset tiedot

### Mitat

Paino:	0.6 kg
Pituus:	156 mm
Leveys:	107 mm
Korkeus:	82 mm

### Lämpötilat

Käyttölämpötila:	20 °C
------------------	-------

### Sähköiset arvot

Jännite:	230 V
----------	-------

### Värit

Väri:	Grafiitti
-------	-----------

### Mekaaninen

Iskunkesto:	-
-------------	---

## Luokitukset

Kotelointiluokka:	IP44
Teho:	50 W
Suojausluokka:	I
ETIM 7:	EC002892 Ceiling-/wall luminaire

## Valaisinkohtaiset tiedot

### Tekninen valaistustieto

Ohjattavuus:	-
Lampun kanta:	GU10
Valonlähteiden lkm ja teho:	1x50
Valonlähde (ILCOS):	HR
Valonlähde:	QR
Runkorakenne / muut tekniset tiedot:	Runko alumiinia, suojalasi lasia
Häikäisysooja/ optiikka/kupu:	Kohdevalaistusoptiikka
Asennustapa:	Seinä
Ketjutettavuus:	päättyvä
Sähköinen liitäntä: napaluku x johtimen poikkipinta:	3x1,5
Sähköinen liitäntä: liitintyyppi:	ruuviliitin

## ETIM tiedot

### ETIM

With air slots:	false
Nominal voltage:	230 V
Suitable for surface mounting:	false
Colour housing:	Grey
Voltage type:	AC
With movement sensor:	false
Height/depth:	106 mm
Control gear included:	true
Length:	151 mm
Light sharing:	Symmetric
Light outlet:	Direct
Suitable for wall mounting:	true
Suitable for built-in mounting:	false
Type of grid:	None
Suitable for emergency lighting:	false
Suitable for light line configuration:	false
Suitable for ceiling mounting:	false
Suitable for suspended mounting:	false
Beam angle:	Open beam/diffuse
Lamp holder:	GU10
With light source:	false

Covering of the luminaire with thermally insulating material possible:	true
Luminaire with limited surface temperature, sign "D":	false
Material housing:	Aluminium
Lamp type:	HV halogen lamp
Suitable for number of lamps:	1
Protection class:	I
Width:	82 mm
Type of control gear:	Not required
Degree of protection (IP):	IP44
Fit for monitor workplace acc. EN 12464-1:	false
Material cover:	Plastic, opal
With light sensor:	false

## Pakkaustiedot

---

### Oletuspakkaus

Koko:	1
Pituus:	176 mm
Leveys:	120 mm
Korkeus:	107 mm
Paino (brt):	0.7 kg
Tilavuus:	2.205

### Lavapakkaus

Koko:	256
-------	-----

